

Printing date 26.07.2019 Version number 1 Revision: 03.07.2019

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: <u>DAIFREE GA-9750</u> Article number: GFA9750 STD

1.2 Relevant identified uses of the substance or mixture and uses advised against:

No further relevant information available.

#### 1.3 Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

DAIKIN INDUSTRIES, LTD. CHEMICALS DIVISION:

Umeda Center Bldg., 4-12, Nakazaki-Nishi 2-chome, Kita-Ku, Osaka, JAPAN

Phone: (+81) 6-6373-4345 Fax: (+81) 6-6373-4281

Further information obtainable from: http://www.daikin.com/

1.4 Emergency telephone number:

Japan: +81-6-6349-7521

China: +86-512-5-232-0949, +86-21-34151689

South Korea: +82-2-568-1722 Americas: +1-256-306-5000 Europe: +49-211-179 225-0

## SECTION 2: Hazard identification

# 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.



Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

#### 2.2 Label elements

## Labelling according to Regulation (EC) No 1272/2008:

The product is classified and labelled according to the CLP regulation.

Signal word: Danger Precautionary statements:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P251 Do not pierce or burn, even after use.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.



Printing date 26.07.2019 Version number 1 Revision: 03.07.2019

Trade name: DAIFREE GA-9750

# SECTION 3: Composition/information on ingredients

#### Information on ingredients: Fluoropolymer < 5% CAS: 111-65-9 octane < 5% Flam. Liq. 2, H225 Asp. Tox. 1, H304 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Skin Irrit. 2, H315; STOT SE 3, H336 CAS: 26635-64-3 isooctane 35-45% Flam. Liq. 2, H225 Asp. Tox. 1, H304 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Skin Irrit. 2, H315; STOT SE 3, H336 CAS: 106-97-8 25-35% Butane Flam. Gas 1, H220 Press. Gas C, H280 5-15% CAS: 75-28-5 *Isobutane (containing < 0,1 % butadiene (203-450-8))* Flam. Gas 1, H220 Press. Gas C, H280 5-15% CAS: 123-86-4 n-Butyl acetate Flam. Liq. 3, H226 STOT SE 3, H336 5-15% Others

# SECTION 4: First aid measures

#### 4.1 Description of first aid measures

General information: Seek medical treatment.

After inhalation: Supply fresh air; consult doctor in case of complaints.

Additional information: For the wording of the listed hazard phrases refer to section 16.

After skin contact:

Remove contaminated clothes immediately.

Immediately wash with water and soap and rinse thoroughly.

Consult a doctor in case of complaints.

## After eye contact:

Immediately rinse with a lot of water for several minutes. Remove contact lenses if possible. Continue rinsing. Consult an ophthalmologist in case of complaints.

#### After swallowing:

Do not induce vomiting; Consult a doctor immediately.

Consult a doctor in case of complaints.

4.2 Most important symptoms and effects, both acute and chronic: No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

# SECTION 5: Firefighting measures

# 5.1 Extinguishing media

# Suitable extinguishing agents:

Alcohol resistant foam

Fire-extinguishing powder

Dry sand

 $CO_2$ 

For safety reasons unsuitable extinguishing agents: Water with full jet



Printing date 26.07.2019 Version number 1 Revision: 03.07.2019

Trade name: DAIFREE GA-9750

#### 5.2 Special hazards arising from the substance or mixture:

Formation of toxic gases is possible during heating or in case of fire.

Receptacle may explode when heated.

Extremely flammable; can ignite easily with heat, sparks, fire.

5.3 Advice for firefighters: Remove receptacles from area of fire if possible.

#### Protective equipment:

Wear fully protective suit.

Wear self-contained breathing apparatus and protective suit.

Do not inhale explosion gases or combustion gases.

## SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation before entering the area.

Stay on the windward side.

Keep out unauthorized persons.

Wear appropriate protective devices (See Section 8 Exposure Controls/Personal Protection).

Avoid contact with eyes and skin.

Do not swallow the product.

## 6.2 Environmental precautions:

Do not allow to enter sewers/surface or ground water.

Prevent seepage into sewage system, workpits and cellars.

## 6.3 Methods and material for containment and cleaning up:

In case of spill a small amount of product, and recovering what was wiped off, use an antistatic tool.

Do not flush with water or aqueous cleansing agents

For a small amount of leakage: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders) or collect in an empty container that can be sealed tightly.

For a small amount of leakage: Use clean anti-static tools when absorbing the product.

For a large amount of leakage: Enclose with banks to avoid outflow. Lead the leakage to a safe place and collect.

Remove ignition sources immediately.

Ground all equipment when the product leaks.

There is a danger of explosion. Prepare fire extinguisher in case of emergency.

## 6.4 Reference to other sections:

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

## 7.1 Precautions for safe handling:

Open and handle receptacle with care.

Ensure good ventilation/exhaustion at the workplace.

Handle with care. Avoid jolting, friction and impact.

Do not handle until all safety precautions have been read and understood.

## Information about fire - and explosion protection:

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 40 °C, i.e. electric lights.

Do not pierce or burn, even after use.

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Use flame proof electric/lighting devices and ventilation equipment.

Ground/bond container and receiving equipment.

## 7.2 Conditions for safe storage, including any incompatibilities:

Storage

#### Requirements to be met by storerooms and receptacles:

Store in a cool and dry location.

Observe official regulations on storing packagings with pressurised containers.

Keep containers tightly sealed.

## Information about storage in one common storage facility:

Store away from oxidising agents.



Printing date 26.07.2019 Version number 1 Revision: 03.07.2019

Trade name: DAIFREE GA-9750

See section 10 for information on incompatible materials.

#### Further information about storage conditions:

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

Store in cool, dry conditions in well sealed receptacle.

Protect from heat and direct sunlight.

Store containers in a well ventilated area.

Store locked up.

7.3 Specific end use(s): No further relevant information available.

# SECTION 8: Exposure controls/personal protection

Additional information about design of technical facilities: No further data; see item 7.

# 8.1 Control parameters No further information available.

## Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists valid during the making were used as basis.

## 8.2 Exposure controls

#### Personal protective equipment

## General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Store protective clothing separately.

Wash hands before breaks and at the end of work.

Do not eat or drink while working.

Keep away from tobacco products.

#### Respiratory protection:

Use respiratory protective device with filters for organic and acid gas (or airline respirators in some cases) if formation of toxic gases is possible while the product is heated.

Use respiratory protective device with organic gas cartridge.

#### Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves

#### Material of gloves:

Synthetic rubber gloves

Rubber

#### Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. **Eye protection:** 



**Body protection:** Protective work clothing

# SECTION 9: Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

**General Information** 

Appearance

Form: Liquid
Colour: Transparent



Printing date 26.07.2019 Version number 1 Revision: 03.07.2019

Trade name: DAIFREE GA-9750

Odour: Characteristic
Odour threshold: Not determined.

pH-value: No further information available.

Melting point/freezing point: No further information available.

Initial boiling point and boiling range: No further information available.

Flash point: -20 °C (SCC)
Flammability (solid, gas): Not applicable.

**Decomposition temperature:** No further information available.

Auto-ignition temperature: Product is not selfigniting.

**Explosive properties:** Not determined.

**Explosion limits:** 

Lower explosive limit:No further information available.Upper explosive limit:No further information available.Vapour pressure:No further information available.Density:No further information available.

Relative densityNot determined.Vapour densityNot determined.Evaporation rateNot applicable.

Solubility in / Miscibility with

water: Insoluble.

**Partition coefficient: n-octanol/water:** No further information available.

Viscosity:

**Dynamic:** Not determined. **Kinematic:** Not determined.

**9.2 Other information:** No further relevant information available.

## SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

**Thermal decomposition / conditions to be avoided:** To avoid thermal decomposition do not overheat. **10.3 Possibility of hazardous reactions:** No dangerous reactions known under normal conditions of use.

10.4 Conditions to avoid: Keep away from heat, sparks, flame, high temperature.

10.5 Incompatible materials:

Strong acids, strong alkali, amines and alkali metals

Oxidizing agents

10.6 Hazardous decomposition products: Danger of toxic fluorine based pyrolysis products.

# \* SECTION 11: Toxicological information

## 11.1 Information on toxicological effects

Acute toxicity no data

LD/LC50 values relevant for classification: No further information available.

Primary irritant effect Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation No further information available.

**Respiratory or skin sensitisation** No further information available.

Other information (about experimental toxicology): No further information available.

Subacute to chronic toxicity No further information available.

CMR effects

Carcinogenicity No further information available.

Reproductive toxicity No further information available.



Printing date 26.07.2019 Version number 1 Revision: 03.07.2019

Trade name: DAIFREE GA-9750

STOT-single exposure

No further information available. May cause drowsiness or dizziness.

STOT-repeated exposure No further information available.

Aspiration hazard

May be fatal if swallowed and enters airways.

# SECTION 12: Ecological information

## 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability: No further relevant information available. 12.3 Bioaccumulative potential: No further relevant information available.

12.4 Mobility in soil: No further relevant information available.

Ecotoxical effects: no data Remark: Very toxic for fish

Additional ecological information:

General notes:

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

# 12.5 Results of PBT and vPvB assessment

PRT:

No further relevant information available.

Not applicable.

vPvB:

No further relevant information available.

Not applicable.

12.6 Other adverse effects: No further relevant information available.

# SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

#### Recommendation:

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

Uncleaned packaging

Recommendation: Disposal must be made according to official regulations.

# SECTION 14: Transport information

14.1 UN-Number:

ADR, IMDG, IATA UN1950

14.2 UN proper shipping name:

ADR: AEROSOLS, ENVIRONMENTALLY HAZARDOUS

IMDG: AEROSOLS (isooctane, OCTANES), MARINE POLLUTANT

IATA: AEROSOLS, flammable

14.3 Transport hazard class(es):

**ADR** 



Class: 2 5F Gases.



Printing date 26.07.2019 Version number 1 Revision: 03.07.2019

Trade name: DAIFREE GA-9750

Label: 2.1 IMDG





 Class:
 2.1

 Label:
 2.1

 IATA



 Class:
 2.1

 Label:
 2.1

14.4 Packing group:

ADR, IMDG, IATA Not applicable

14.5 Environmental hazards: Product contains environmentally hazardous substances: isooctane

Marine pollutant: Yes (P

Symbol (fish and tree)
Special marking (ADR):
Symbol (fish and tree)
Warning: Gases.

Danger code (Kemler):

EMS Number: F-D,S-U

Stowage Code SW1 Protected from sources of heat.

SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living

quarters.

Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 litre:

Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate

subdivision of class 2.

14.7 Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not applicable.

Transport/Additional information: Avoid direct sunlight. Make sure of no damage, corrosion, leaks on

the receptacles.

Take necessary measures for preventing cargo shift.

**ADR** 

Limited quantities (LQ):

Excepted quantities (EQ) Code: E0

Not permitted as Excepted Quantity

Transport category: 2
Tunnel restriction code: D

*IMDG* 

Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E0

Not permitted as Excepted Quantity

UN "Model Regulation": UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS

# SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No further relevant information available.

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.



Printing date 26.07.2019 Version number 1 Revision: 03.07.2019

Trade name: DAIFREE GA-9750

#### Hazard pictograms









GHS02

GHS07

GHS08

Signal word Danger

#### Hazard-determining components of labelling:

isooctane

octane

#### Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H304 May be fatal if swallowed and enters airways. H410 Very toxic to aquatic life with long lasting effects.

#### Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P210

P251 Do not pierce or burn, even after use.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Seveso category

E1 Hazardous to the Aquatic Environment

P3a FLAMMABLE AEROSOLS

National regulations No further information available.

## Other regulations, limitations and prohibitive regulations: 1

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# SECTION 16: Other information

The product is for the industrial use only. We do not guarantee the safety in case the product is used for the other purposes. When using the product for health-care application or food/feed application, consult us in advance.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

## Department issuing SDS: EHS Department

# Contact: http://www.daikin.com/

#### Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

P: Marine Pollutant

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Gas 1: Flammable gases - Category 1

Aerosol 1: Aerosols - Category 1

Press. Gas C: Gases under pressure - Compressed gas

Flam. Liq. 2: Flammable liquids - Category 2

Skin Irrit. 2: Skin corrosion/irritation - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1



Printing date 26.07.2019 Version number 1 Revision: 03.07.2019

Trade name: DAIFREE GA-9750

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 \* Data compared to the previous version altered.