Safety data sheet

Printing date 09.06.2017

DAIKIN

Revision: 09.06.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

 Trade name: PFC-116

 Article number: 116EH STD

 EC number:

 200-939-8

 1.2 Relevant identified uses of the substance or mixture and uses advised against:

 No further relevant information available.

1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: DAIKIN INDUSTRIES, LTD. CHEMICALS DIVISION: Umeda Center Bldg., 4-12, Nakazaki-Nishi 2-chome, Kita-Ku, Osaka, JAPAN Phone: (+81) 6-6373-4345 Fax: (+81) 6-6373-4281

Further information obtainable from: http://www.daikin.com/

1.4 Emergency telephone number: Japan: +81-6-6349-7521 China: +86-512-5-232-0949, +86-21-34151689 South Korea: +82-2-568-1722 Americas: +1-256-306-5000 Europe: +49-211-179 225-0

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



Press. Gas C H280 Contains gas under pressure; may explode if heated.

2.2 Label elements Labelling according to Regulation (EC) No 1272/2008: The substance is classified and labelled according to the CLP regulation. Signal word: Warning Precautionary statements: P410+P403 Protect from sunlight. Store in a well-ventilated place.

SECTION 3: Composition/information on ingredients

Information on ingredients:

76-16-4 Perfluoroethane Press. Gas C, H280 Identification number(s) EC number: 200-939-8

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Seek immediate medical advice.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult a doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

In case of emergency to rescue the victims; be sure to wear supplied-air respirator (SAR) or self-contained breathing apapratus (SCBA).

If the patient does not breathe or hardly breathes, unbutton clothes, secure the airway for breathing and perform artificial respiration.

At high levels, cardiac arrhythmia may occur.

After skin contact:

In cases of frost bites, rinse with plenty of water. Do not remove clothing.

≥99,9%



Version number 1

Revision: 09.06.2017

Trade name: PFC-116

Immediately rinse with warm water and soap. Consult a doctor in case of complaints. After eye contact: Rinse opened eye for several minutes under running water. Consult an ophthalmologist in case of complaints. After swallowing: Not applicable. 4.2 Most important symptoms and effects, both acute and chronic: Frost bites High concentrations cause asphyxiation. May cause an abnormal heart rhythm and prove suddenly fatal. Information for doctor: Catecholamines such as adrenaline, and other compounds having similar effects, should be reserved for emergencies and then used only with special caution. The examining physician should advise workers taking medications containing catecholamines that they may be at increased risk and should avoid excessive exposure. 4.3 Indication of any immediate medical attention and special treatment needed: No further relevant information available. **SECTION 5: Firefighting measures** 5.1 Extinguishing media Suitable extinguishing agents: Use fire extinguishing methods suitable for surrounding conditions. 5.2 Special hazards arising from the substance or mixture: Hydrogen fluoride (HF) Formation of toxic gases is possible during heating or in case of fire. Receptacle may explode when heated.

5.3 Advice for firefighters:

Move receptacle to a safe place immediately if possible. If not, spray water on the receptacles and surrounding equipment to cool.

If receptacle catches fire: cool them with plenty of water.

If possible, close valves of receptacles to shut off the gas supply.

Protective equipment:

Wear fully protective suit. Wear self-contained breathing apparatus and protective suit. Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Wear appropriate protective devices (See Section 8 Exposure Controls/Personal Protection). Avoid contact with eyes and skin.
Do not inhale the product.
Ensure adequate ventilation before entering the area.
Stay on the windward side.
Keep out unauthorized persons.
6.2 Environmental precautions: Must not be emitted into the environment.
6.3 Methods and material for containment and cleaning up: Stop leakage if possible.
Ensure adequate ventilation.
6.4 Reference to other sections: See Section 7 for information on safe handling.
See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling:

Danger of ignition/explosion if mixed with flammable gas. Do not inhale the gas. Ensure good ventilation/exhaustion at the workplace.



Version number 1

Revision: 09.06.2017

Trade name: PFC-116

Handle with care. Avoid jolting, friction and impact. For heating receptacle, use hot compresses or lukewarm water below 40 $^{\circ}C$. Do not use heaters. Stay on the windward side when working outdoors. *Be careful of leakage when attaching/detaching receptacles.* Inhaling large quantities may cause cardiac arrhythmia or asphyxiation or both. Keep away from naked flame or metal heated over 300 - 400 $^{\circ}C$ to prevent thermal decomposition that may form toxic gases. Do not handle until all safety precautions have been read and understood. Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Keep respiratory protective device available. 7.2 Conditions for safe storage, including any incompatibilities: Storage Requirements to be met by storerooms and receptacles: Store material at: Store material at 5 $^{\circ}C$ to 25 $^{\circ}C$. Store in a cool and dry location. Keep containers tightly sealed. Information about storage in one common storage facility: No further information available. See section 10 for information on incompatible materials. Further information about storage conditions: Store in cool, dry conditions in well sealed receptacle. *Keep at temperature not exceeding 40 °C.* Protect from heat and direct sunlight. Store containers in a well ventilated area. Store locked up. 7.3 Specific end use(s): No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about design of technical facilities: No further data; see item 7.

8.1 Control parameters No further information available. **Ingredients with limit values that require monitoring at the workplace:** Not required. **Additional information:** The lists valid during the making were used as basis.

8.2 Exposure controls Personal protective equipment General protective and hygienic measures: Wash hands before breaks and at the end of work. Do not eat or drink while working. Keep away from tobacco products. Respiratory protection: Use respiratory protective device with organic gas cartridge. Protection of hands:



Protective gloves

To avoid skin problems reduce the wearing of gloves to the required minimum. Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Leather

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.



Version number 1

Printing date 09.06.2017

Trade name: PFC-116

Eye protection:



Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties General Information		
Appearance Form: Colour: Odour: Odour threshold:	Liquefied gas Colourless Odourless Not determined.	
pH-value: Melting point/freezing point: Initial boiling point and boiling range	No further information available. -101 °C : -78,15 °C No further information available.	
Flash point:	Incombustibility	
Flammability (solid, gas):	No data.	
Decomposition temperature:	No further information available.	
Auto-ignition temperature: Explosive properties:	Not determined. Not determined.	
Explosion limits: Lower explosive limit: Upper explosive limit:	No further information available. No further information available.	
Vapour pressure:	2,981 MPa (30.4kgf/cm2 abs 19.65 °C)	
Density at 0 °C: Relative density Vapour density Evaporation rate	1,109 g/cm ³ Not determined. Not determined. Not applicable.	
Solubility in / Miscibility with water:	No further information available.	
Partition coefficient: n-octanol/water: Viscosity: Dynamic: Kinematic: 9.2 Other information:	Not determined. Not determined. No further relevant information available.	
SECTION 10: Stability and reactivity		

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided: To avoid thermal decomposition do not overheat. 10.3 Possibility of hazardous reactions: No dangerous reactions known under normal conditions of use. 10.4 Conditions to avoid: Keep away from heat, sparks, flame, high temperature.

10.5 Incompatible materials: Alkali or alkaline earth metals - powdered Al, Zn, Mg, etc.

10.6 Hazardous decomposition products:

Danger of forming toxic pyrolysis products.

Fluorophosgene in contact with naked flame or red hot objects.

Hydrofluoric acid, carbonyl fluoride

Revision: 09.06.2017



Version number 1

Trade name: PFC-116

SECTION 11: Toxicological information

11.1 Information on toxicological effects Acute toxicity no data LD/LC50 values relevant for classification:

76-16-4 Perfluoroethane

Inhalative LC50/4h >800000 ppm (Rat) Primary irritant effect Skin corrosion/irritation No further information available. Serious eye damage/irritation No further information available. after inhalation: No further information available. Respiratory or skin sensitisation Based on available data, the classification criteria are not met. CMR effects Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. Chronic study No further information available.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available. 12.2 Persistence and degradability: No further relevant information available. 12.3 Bioaccumulative potential: No further relevant information available. 12.4 Mobility in soil: No further relevant information available. 12.4 Mobility in soil: No further relevant information available. Ecotoxical effects: no data Additional ecological information: General notes: Ozone depletion potential(ODP) : 0 Global warming potential(GWP) : 9200 12.5 Results of PBT and vPvB assessment PBT: No further relevant information available. vPvB: No further relevant information available. 12.6 Other adverse effects: No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation: Disposal must be made according to official regulations. Incineration in an adequate incinerator is recommended.

Uncleaned packaging Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN-Number: ADR, IMDG, IATA 14.2 UN proper shipping name: ADR, IMDG, IATA

UN2193

HEXAFLUOROETHANE (REFRIGERANT GAS R 116)



rinting date 09.06.2017	Version number 1	Revision: 09.06.2017
rade name: PFC-116		
14.3 Transport hazard class(es):		
ADR		
Class:	2 1A Gases.	
Label:	2.2	
IMDG		
~		
Class:	2.2	
Label:	2.2	
Class:	2 Gases.	
Label:	2.2	
14.4 Packing group:		
ADR, IMDG, IATA	Not applicable	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user:	Warning: Gases.	
Danger code (Kemler):	20	
EMS Number:	F-C,S-V	
Stowage Category	A	
14.7 Transport in bulk according to Annex		
MARPOL73/78 and the IBC Code:	Not applicable.	
Transport/Additional information:	Avoid direct sunlight. Make sure of no	o aamage, corrosion, leaks on
	the receptacles. Take necessary measures for preventi	na carao shift
ADR	Tuke necessary measures for preventi	ng curgo sniji.
Limited quantities (LQ):	120 ml	
Excepted quantities (EQ)	Code: El	
	Maximum net quantity per inner pack	aging: 30 ml
	Maximum net quantity per outer pack	
Transport category:	3	
Tunnel restriction code:	C/E	
IMDG		
Limited quantities (LQ)	120 ml	
Excepted quantities (EQ)	Code: El	
	Maximum net quantity per inner pack	
UN "Model Regulation":	Maximum net quantity per outer pack UN 2193 HEXAFLUOROETHANE (2.2	
SECTION 15: Regulatory informat	2.2	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation.



Trade name: PFC-116

Version number 1

Safety data sheet

Revision: 09.06.2017

Hazard pictograms



Signal word Warning Hazard statements H280 Contains gas under pressure; may explode if heated. **Precautionary statements** P410+P403 Protect from sunlight. Store in a well-ventilated place.

National regulations No further information available.

Other regulations, limitations and prohibitive regulations: 1

SECTION 16: Other information

The product is for the industrial use only. We do not guarantee the safety in case the product is used for the other purposes. When using the product for health-care application or food/feed application, consult us in advance. This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: EHS Department

Contact: http://www.daikin.com/ Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

- Press. Gas C: Gases under pressure Compressed gas