Revision: 15.04.2016

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: <u>FLUOROCARBON GAS PFC-C318 / DAIFLON GAS C318EH / PFC-C318</u> Article number: C318 EC number: 204-075-2 **1.2 Relevant identified uses of the substance or mixture and uses advised against:** No further relevant information available.

1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: DAIKIN INDUSTRIES, LTD. CHEMICALS DIVISION: Umeda Center Bldg., 4-12, Nakazaki-Nishi 2-chome, Kita-Ku, Osaka, JAPAN Phone: (+81) 6-6373-4345 Fax: (+81) 6-6373-4281

#### Further information obtainable from: http://www.daikin.com/

**1.4 Emergency telephone number:** Japan: +81-6-6349-7521 China: +86-512-5-232-0949, +86-21-34151689 South Korea: +82-2-568-1722 Americas: +1-256-306-5000 Europe: +49-211-179 225-0

# SECTION 2: Hazard identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



Press. Gas L H280 Contains gas under pressure; may explode if heated.

2.2 Label elements Labelling according to Regulation (EC) No 1272/2008: The substance is classified and labelled according to the CLP regulation. Signal word: Warning Precautionary statements: P410+P403 Protect from sunlight. Store in a well-ventilated place.

**SECTION 3: Composition/information on ingredients** 

#### Information on ingredients:

115-25-3 Octafluorocyclobutane Press. Gas L, H280 Identification number(s) EC number: 204-075-2

# **SECTION 4: First aid measures**

4.1 Description of first aid measures
General information: Seek immediate medical advice.
After inhalation:
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult a doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.
In case of emergency to rescue the victims; be sure to wear supplied-air respirator (SAR) or self-contained breathing apapratus (SCBA).
At high levels, cardiac arrhythmia may occur.
After skin contact:
Rinse with warm water.
In cases of frost bites, rinse with plenty of water. Do not remove clothing.

>99,99%



# Safety data sheet

Version number 1

Revision: 15.04.2016

## Trade name: FLUOROCARBON GAS PFC-C318 / DAIFLON GAS C318EH / PFC-C318

Consult a doctor in case of complaints. After eye contact: Rinse opened eye for several minutes under running water. Consult an ophthalmologist in case of complaints. After swallowing: Not applicable. 4.2 Most important symptoms and effects, both acute and chronic: Frost bites High concentrations cause asphyxiation. May cause an abnormal heart rhythm and prove suddenly fatal. Information for doctor: Catecholamines such as adrenaline, and other compounds having similar effects, should be reserved for emergencies and then used only with special caution. The examining physician should advise workers taking medications containing catecholamines that they may be at increased risk and should avoid excessive exposure. 4.3 Indication of any immediate medical attention and special treatment needed: No further relevant information available.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable for surrounding conditions. 5.2 Special hazards arising from the substance or mixture:

Hydrogen fluoride (HF)

Formation of toxic gases is possible during heating or in case of fire.

Receptacle may explode when heated.

#### 5.3 Advice for firefighters:

Move receptacle to a safe place immediately if possible. If not, spray water on the receptacles and surrounding equipment to cool.

If receptacle catches fire: cool them with plenty of water.

If possible, close valves of receptacles to shut off the gas supply.

#### Protective equipment:

Wear self-contained breathing apparatus and protective suit.

Do not inhale explosion gases or combustion gases.

# **SECTION 6:** Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures:

Wear appropriate protective devices (See Section 8 Exposure Controls/Personal Protection).
Avoid contact with eyes and skin.
Do not inhale the product.
Ensure adequate ventilation before entering the area.
Stay on the windward side.
Keep out unauthorized persons.
6.2 Environmental precautions:
Suppress gases/fumes/haze with water spray.
Do not allow to enter sewers/surface or ground water.
Must not be emitted into the environment.
6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.
6.4 Reference to other sections:
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling:

Danger of ignition/explosion if mixed with flammable gas. Do not inhale the gas. Ensure good ventilation/exhaustion at the workplace. Handle with care. Avoid jolting, friction and impact. For heating receptacle, use hot compresses or lukewarm water below 40 °C. Do not use heaters.



Version number 1

Revision: 15.04.2016

## Trade name: FLUOROCARBON GAS PFC-C318 / DAIFLON GAS C318EH / PFC-C318

Stay on the windward side when working outdoors. Be careful of leakage when attaching/detaching receptacles. Inhaling large quantities may cause cardiac arrhythmia or asphyxiation or both. Keep away from naked flame or metal heated over 300 - 400  $^{\circ}C$  to prevent thermal decomposition that may form toxic gases. Do not handle until all safety precautions have been read and understood. Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Keep respiratory protective device available. 7.2 Conditions for safe storage, including any incompatibilities: Storage Requirements to be met by storerooms and receptacles: Store in a cool and dry location. Keep containers tightly sealed. Information about storage in one common storage facility: No further information available. See section 10 for information on incompatible materials. Further information about storage conditions: Protect from heat and direct sunlight. Store containers in a well ventilated area. Store locked up. 7.3 Specific end use(s): No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

Additional information about design of technical facilities: No further data; see item 7.

**8.1 Control parameters** No further information available. **Ingredients with limit values that require monitoring at the workplace:** Not required.

8.2 Exposure controls Personal protective equipment General protective and hygienic measures: Wash hands before breaks and at the end of work. Do not eat or drink while working. Keep away from tobacco products. Respiratory protection: Use respiratory protective device with organic gas cartridge. Protection of hands:



Protective gloves

*To avoid skin problems reduce the wearing of gloves to the required minimum. Material of gloves:* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Leather

## Penetration time of glove material

*The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection:* 



Body protection: Protective work clothing



Version number 1

Revision: 15.04.2016

## Trade name: FLUOROCARBON GAS PFC-C318 / DAIFLON GAS C318EH / PFC-C318

SECTION 9: Physical and chemical properties	
---------------------------------------------	--

chemical properties
Liquefied gas Colourless Characteristic Not determined.
No further information available. -41.4 °C -5.85 °C
Not applicable.
No data.
No further information available.
Not determined. Not determined.
No further information available. No further information available.
0.266 MPa
1.48 g/cm <sup>3</sup> Not determined. 6,95 (Air=1) Not applicable.
0.005 g/100g
: No further information available. Not determined.
Not determined. No further relevant information available.

# SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.
10.2 Chemical stability
Thermal decomposition / conditions to be avoided: To avoid thermal decomposition do not overheat.
10.3 Possibility of hazardous reactions: No dangerous reactions known under normal conditions of use.
10.4 Conditions to avoid: Keep away from heat, sparks, flame, high temperature.
10.5 Incompatible materials: Alkali or alkaline earth metals - powdered Al, Zn, Mg, etc.
10.6 Hazardous decomposition products:
Danger of forming toxic pyrolysis products.
Fluorophosgene in contact with naked flame or red hot objects.
Hydrofluoric acid, carbonyl fluoride
SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met. LD/LC50 values relevant for classification:

#### 115-25-3 Octafluorocyclobutane

Inhalative LC50/4h >800,000 ppm (Rat)



Page 5/7

#### Trade name: FLUOROCARBON GAS PFC-C318 / DAIFLON GAS C318EH / PFC-C318

Primary irritant effect Skin corrosion/irritation No further information available. No further information available. Serious eye damage/irritation No further information available. No further information available. after inhalation: No further information available. Respiratory or skin sensitisation Based on available data, the classification criteria are not met. CMR effects Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. Chronic study No further information available.

# **SECTION 12: Ecological information**

12.1 Toxicity

Aquatic toxicity: No further relevant information available.
12.2 Persistence and degradability: No further relevant information available.
12.3 Bioaccumulative potential: No further relevant information available.
12.4 Mobility in soil: No further relevant information available.
Ecotoxical effects: no data
Additional ecological information:
General notes: Ozone depletion potential(ODP) : 0
12.5 Results of PBT and vPvB assessment
PBT: No further relevant information available.
vPvB: No further relevant information available.
12.6 Other adverse effects: No further relevant information available.

# **SECTION 13: Disposal considerations**

13.1 Waste treatment methods Recommendation: Disposal must be made according to official regulations. Incineration in an adequate incinerator is recommended.

Uncleaned packaging Recommendation: Disposal must be made according to official regulations.

# SECTION 14: Transport information

14.1 UN-Number:
ADR, IMDG, IATA
14.2 UN proper shipping name:
ADR:
IMDG, IATA
14.3 Transport hazard class(es):

UN1976

1976 OCTAFLUOROCYCLOBUTANE OCTAFLUOROCYCLOBUTANE

ADR



Class:

2 2A Gases.



Version number 1

Revision: 15.04.2016

# Trade name: FLUOROCARBON GAS PFC-C318 / DAIFLON GAS C318EH / PFC-C318

Label: IMDG	2.2	
Class:	2.2	
Label:	2.2	
IATA		
Class:	2 Gases.	
Label:	2.2	
14.4 Packing group:		
ADR, IMDG, IATA	Not applicable	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user:	Warning: Gases.	
14.7 Transport in bulk according to Annex II of		
MARPOL73/78 and the IBC Code:	Not applicable.	
Transport/Additional information:	Avoid direct sunlight. Make sure of no damage, corrosion, leaks on	
	the receptacles.	
	Take necessary measures for preventing cargo shift.	
ADR		
Limited quantities (LQ):	120 ml	
Transport category:	3	
Tunnel restriction code:	C/E	
UN "Model Regulation":	UN1976, OCTAFLUOROCYCLOBUTANE (REFRIGERANT GAS RC 318), 2.2	

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms



Signal word Warning Hazard statements H280 Contains gas under pressure; may explode if heated. Precautionary statements P410+P403 Protect from sunlight. Store in a well-ventilated place.

National regulations No further information available.

# **SECTION 16: Other information**

The product is for the industrial use only. We do not guarantee the safety in case the product is used for the other purposes. When using the product for health-care application or food/feed application, consult us in advance. This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.



Version number 1

Revision: 15.04.2016

#### Trade name: FLUOROCARBON GAS PFC-C318 / DAIFLON GAS C318EH / PFC-C318

Department issuing SDS: EHS Department Contact: http://www.daikin.com/ Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Press. Gas L: Gases under pressure: Liquefied gas

\* Data compared to the previous version altered.